List of Contents

NUMBER 1/2

Philip Gabriel, Jerry Y. Harrington, Graeme L. Stephens, and **Timothy L. Schneider** — 1 Adjoint perturbation method applied to two-stream radiative transfer

David R. Farley and **Robert J. Cattolica** — 25 Spectroscopic modeling of the $CO_2^+ A^2\Pi_u \rightarrow X^2\Pi_g$ (110–010) Renner–Teller bands in electron beam fluorescence of carbon dioxide

G. Petrov, V. Gencheva, R. Djulgerova, V. Mihailov, and **H.-D. Kronfeldt** — 33 Theoretical description of Ne I ($5d'-2p_4$) optogalvanic signal registered in a hollow cathode discharge

Dorota Bielińska-Wąż and **Jacek Karwowski** — 39 Statistical theory of vibronic spectra: the intensity distributions

L. G. D'Yachkov, Y. K. Kurilenkov, and **Y. Vitel** — 53 Radiative continua of noble gas plasmas

L. G. D'Yachkov — 65 Approximation for the probabilities of the realization of atomic bound states in a plasma

S. Djeniže, V. Milosavljević, and **A. Srećković** — 71 Measured Stark widths and shifts of singly ionized oxygen spectral lines in lower multiplets

N. Fukshansky-Kazarinova, L. Fukshansky, M. Kühl, and **B. B. Jørgensen** — 77 Solution of the inverse problem of radiative transfer on the basis of measured internal fluxes

A. E. Heathfield, C. Anastasi, J. Ballard, D. A. Newnham, and **A. McCulloch** — 91 Integrated infrared absorption coefficients of CF_3OCF_2H and $CH_3OCF_2CF_2H$ at 297, 253 and 213 K

B. Sumpf, S. Bouazza, A. Kissel, and **H.-D. Kronfeldt** — 99 Three channel diode laser spectrometer for the determination of line-shift coefficients in the ν_3 band of NO_2

C. C. Smith — 109 Configuration broadening of high-Z transition array profiles

M. Sakami, A. Charette, and **V. Le Dez** — 117 Radiative heat transfer in three-dimensional enclosures of complex geometry by using the discrete-ordinates method

Announcement — I

NUMBER 3–5

ATMOSPHERIC SPECTROSCOPY APPLICATIONS 96

SECTION A—LABORATORY DATA

V. Malathy Devi, D. Chris Benner, Mary Ann H. Smith and **Curtis P. Rinsland** — 137 Air- and N_2-broadening coefficients and pressure-shift coefficients in the $^{12}C^{16}O_2$ laser bands

J.-L. Teffo, C. Claveau and **A. Valentin** — 151 Infrared fundamental bands of $O^{13}C^{17}O$ isotopic variants of carbon dioxide

A. Valentin, F. Rachet, A. D. Bykov, N. N. Lavrentieva, V. N. Saveliev and **L. N. Sinitsa** — 165 *J*-dependence of the lineshift coefficients in the v_2 water vapor band

A. C. Vandaele, C. Hermans, P. C. Simon, M. Carleer, R. Colin, S. Fally, M. F. Mérienne, A. Jenouvrier and **B. Coquart** — 171 Measurements of the NO_2 absorption cross-section from 42 000 cm^{-1} to 10 000 cm^{-1} (238–1000 nm) at 220 K and 294 K

A. Barbe, J. J. Plateaux, Vl. G. Tyuterev and **S. Mikhailenko** — 185 Analysis of high resolution measurements of the $2v_1 + 2v_3$ band of ozone: coriolis interaction with the $v_1 + 3v_2 + 2v_3$ band

A. Babay, M. Ibrahimi, V. Lemaire, B. Lemoine, F. Rohart and **J. P. Bouanich** — 195 Line frequency shifting in the v_5 band of C_2H_2

SECTION B—ATMOSPHERIC OBSERVATIONS

K. M. Firsov, A. A. Mitsel, Yu. N. Ponomarev and **I. V. Ptashnik** — 203 Parametrization of transmittance for application in atmospheric optics

B. Funke, G. P. Stiller, T. von Clarmann, G. Echle and **H. Fischer** — 215 CO_2 line mixing in MIPAS limb emission spectra and its influence on retrieval of atmospheric parameters

A. Goldman, W. G. Schoenfeld, T. M. Stephen, F. J. Murcray, C. P. Rinsland, A. Barbe, A. Hamdouni, J.-M. Flaud and **C. Camy-Peyret** — 231 Isotopic ozone in the 5 μ region from high resolution balloon-borne and ground-based FTIR solar spectra

SECTION C—LINESHAPES/CONTINUA

Q. Ma, R. H. Tipping and **C. Boulet** — 245 A far-wing line shape theory which satisfies the detailed balance principle

Q. Ma, R. H. Tipping, G. Birnbaum and **C. Boulet** — 259 Sum rules and the symmetry of the memory function in spectral line shape theories

A. Bauer, M. Godon, J. Carlier and **R. R. Gamache** 273 Continuum in the windows of the water vapor spectrum. Absorption of H_2O–Ar at 239 GHz and linewidth calculations

Tony Gabard 287 Calculated helium-broadened line parameters in the ν_4 band of $^{13}CH_4$

L. L. Strow, D. C. Tobin, W. W. McMillan, S. E. Hannon, W. L. Smith, H. E. Revercomb and **R. O. Knuteson** 303 Impact of a new water vapor continuum and line shape model on observed high resolution infrared radiances

Robert R. Gamache, Richard Lynch and **Steven P. Neshyba** 319 New developments in the theory of pressure-broadening and pressure-shifting of spectral lines of H_2O: the complex Robert–Bonamy formalism

L. Ozanne, J.-P. Bouanich, R. Rodrigues, J.-M. Hartmann, G. Blanquet and **J. Walrand** 337 Diode-laser measurements of He- and N_2-broadening coefficients and line-mixing effects in the Q-branch of the ν_1–ν_2 band of CO_2

SECTION D—TECHNIQUES

M. R. De Backer-Barilly, B. Parvitte, X. Thomas, V. Zeninari and **D. Courtois** 345 Tunable diode laser spectrometer apparatus function

V. Zeninari, B. Parvitte, D. Courtois, A. Delahaigue and **C. Thiebeaux** 353 An instrument for atmospheric detection of NH_3 by laser heterodyne radiometry

B. Parvitte, V. Zeninari, D. Courtois, A. Delahaigue, C. Thiebeaux, T. Beyer, H. Schlegelmich, A. Lambrecht and **M. Tacke** 361 Linewidth narrowing of 10 μm diode lasers by external feedback

Note

V. Zeninari, B. A. Tikhomirov, Yu. N. Ponomarev and **D. Courtois** 369 Preliminary results on photoacoustic study of the relaxation of vibrationally excited ozone (ν_3)

SECTION E—NLTE

M. López-Puertas, G. Zaragoza, M. Á. López-Valverde, F. J. Martín-Torres, G. M. Shved, R. O. Manuilova, A. A. Kutepov, O. Gusev, T. von Clarmann, A. Linden, G. Stiller, A. Wegner, H. Oelhaf, D. P. Edwards and **J.-M. Flaud** 377 Non-local thermodynamic equilibrium limb radiances for the MIPAS instrument on Envisat-1

R. O. Manuilova, O. A. Gusev, A. A. Kutepov, T. von Clarmann, H. Oelhaf, G. P. Stiller, A. Wegner, M. López-Puertas, F. J. Martín-Torres, G. Zaragoza and **J.-M. Flaud** 405 Modelling of non-LTE limb spectra of i.r. ozone bands for the MIPAS space experiment

D. P. Edwards, M. López-Puertas and **R. R. Gamache** 423 The non-LTE correction to the vibrational component of the internal partition sum for atmospheric calculations

SECTION F—DATABASE

K. Smith, D. Newnham, M. Page, J. Ballard and **G. Duxbury** 437 Infrared absorption cross-sections and integrated absorption intensities of HFC-134 and HFC-143a vapour

A. Goldman, W. G. Schoenfeld, D. Goorvitch, C. Chackerian Jr, H. Dothe, F. Mélen, M. C. Abrams and **J. E. A. Selby** 453 Updated line parameters for OH $X^2\Pi$–$X^2\Pi$ (v'',v') transitions

Ch. Wenger and **J. P. Champion** 471 Spherical top data systems (STDS) software for the simulation of spherical top spectra

L. Larrabee Strow, Howard E. Motteler, Robert G. Benson, Scott E. Hannon and **Sergio de Souza-Machando** 481 Fast computation of monochromatic infrared atmospheric transmittances using compressed look-up tables

Robert R. Gamache, Aaron Goldman and **Laurence S. Rothman** 495 Improved spectral parameters for the three most abundant isotopomers of the oxygen molecule

N. Jacquinet-Husson, N. A. Scott, A. Chedin, B. Bonnet, A. Barbe, Vl. G. Tyuterev, J. P. Champion, M. Winnewisser, L. R. Brown, R. Gamache, V. F. Golovko and **A. A. Chursin** 511 The GEISA system in 1996: towards an operational tool for the second generation vertical sounders radiance simulation

NUMBER 6

Robert A. Toth, Linda R. Brown and **Claude Plymate** 529 Self-broadened widths and frequency shifts of water vapor lines between 590 and 2400 cm^{-1}

Kenneth M. Chick 563 A domain decomposition approach for radiation transport in astrophysical dust envelopes

Constantine Mavroyannis 585 Interference spectra induced by a bichromatic field in the excited state of a three-level atom

R. Lynch, R. R. Gamache and **S. P. Neshyba** 595 N_2 and O_2 induced halfwidths and line shifts of water vapor transitions in the (301) ← (000) and (221) ←

R. Lynch, R. R. Gamache and **S. P. Neshyba** 615 Pressure broadening of H_2O in the (301) ← (000) band: effects of angular momentum and close intermolecular interactions

Isao Hirano 627 Magneto-optical Faraday absorption spectra of the Cs-D_2 *line*

Essaid Zerrad and **Yukap Hahn** 637 Radiative recombination at low energies

Bernard L. Upschulte and **Mark G. Allen** 653 Diode laser measurements of line strengths and self-broadening parameters of water vapor between 300 and 1000 K near 1.31 μm

O. Marin and **R. O. Buckius** 671 A model of the cumulative distribution function for wide band radiative properties

Note

K. V. Chance, K. Park and **K. M. Evenson** 687 Pressure broadening of far infrared rotational transitions: 88.65 cm^{-1} H_2O and 114.47 cm^{-1} O_3